DCN: BSI-COA-0139 v.8.3



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

	Effective Date:	04-Feb-2025	04-Feb-2028	: Date of Next Review
	Prepared By:	Taylor Yurick	BSI-COA-0139 v.8.2	: Supersedes
	QA/QC Approval:	Jessica DeMaio	Hannah Kuchmas	: Management Approval
R	eason for Revision:	See Revision History in MasterControl.		

## CERTIFICATE OF ANALYSIS

## **TRIS**

## **BIO EXCIPIENT GRADE / TRIS-3255**

LOT: TRIS-S01-0425-0116

NH<sub>2</sub>C(CH<sub>2</sub>OH)<sub>3</sub> ↑ F.W. 121.14 g/mol. ↑ CAS# 77-86-1

Manufacturing Date: 1/25/25

Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360 Packaging Site: 100 Majestic Way, Bangor PA, 18013 Meets or Exceeds USP, EP and JPC Specifications

USP COMPENDIA						
Analysis	SPECIFICATION	TEST RESULT				
Assay (Dried Basis)	99.0-101.0%	100.0%				
Identification A	Passes Test	Passes Test				
Identification B	Passes Test	Passes Test				
Identification C	Passes Test	Passes Test				
Loss on Drying	1.0% max.	0.1%				
Melting Range	168-172°C	170 - 172 °C				
pH (1 in 20)	10.0 - 11.5	10.8				
Residue on Ignition	0.1% max.	< 0.1%				

EP COMPENDIA						
Analysis	SPECIFICATION	TEST RESULT				
Appearance of Solution	Passes Test	Passes Test				
Assay (Dried Basis)	99.0-100.5%	100.0%				
Chloride (Cl)	≤ 100 ppm	< 100 ppm				
Identification A	Passes Test	Passes Test				
Identification B (Melting Range)	168-172°C	170 - 172 °C				
Identification C	Passes Test	Passes Test				
Identification D	Passes Test	Passes Test				
Iron (Fe)	10 ppm max.	< 0.30 ppm				
Loss on Drying @105°C	0.5% max.	0.1%				

Analysis	SPECIFICATION	TEST RESULT		
pH (5%)	10.0-11.5	10.8		
Related Substances	≤ 1.0%	< 0.03%		
Sulfated Ash	0.1% max.	< 0.1%		

JPC Analysis							
Analysis	SPECIFICATION	TEST RESULT					
Arsenic (As)	1.6 ppm max.	≤ 1.6 ppm					
Assay (Dried Basis)	99.0-101.0%	100.0%					
Clarity and Color of Solution	Passes Test	Passes Test					
Heavy Metals	8 ppm max.	≤8 ppm					
Identification A	Passes Test	Passes Test					
Identification B	Passes Test	Passes Test					
Loss on Drying	0.5% max.	0.1%					
Melting Point	168-172°C	170 - 172 °C					
pH	10.3 - 10.7	10.4					
Residue on Ignition	0.1% max.	< 0.1%					

		ADDITIONAL ANALYSES		
Analysis		SPECIFICATION	TEST RESULT	
Appearance and Color		White, crystalline powder to needle- like crystals	White, crystalline powder to needle- like crystals	
	260nm	0.06 a.u. max	< 0.06 a.u.	
Absorbance (1M)	280nm	0.06 a.u. max	< 0.06 a.u.	
	430nm	0.01 a.u. max	< 0.01 a.u.	
	260nm	0.03 a.u. max.	< 0.03 a.u.	
Absorbance (10%)	280nm	0.02 a.u. max.	< 0.02 a.u.	
	430nm	0.004 a.u. max.	< 0.004 a.u.	
Absorbance (40%)	290nm	0.2 a.u. max.	< 0.2 a.u.	
APHA Color, 20% Sol	ution	20 APHA max.	< 20 APHA	
Assay (Ultrapure, Drie	d Basis)	99.9% min	100.1%	
Endotoxins		≤ 2.5 EU/g	< 1.0 EU/g	
	DNase	None	None	
Enzymes	Protease	None	None	
	RNase	None	None	

Analysis		SPECIFICATION	TEST RESULT
Heavy Metals (A	As Pb)	1 ppm max.	≤ 1 ppm
Insoluble Matter	•	0.005% max.	< 0.001%
Karl Fischer Wa	ter	1.0% max.	0.1%
Loss on Drying		0.3% max.	0.1%
M: 1:10	TAMC	$\leq 100 \text{ CFU/g}$	< 10 CFU/g
Microbial Conte	TYMC	$\leq 100 \text{ CFU/g}$	< 10 CFU/g
Related Substan	ces	0.1% max.	< 0.03%
Residue on Ignition		0.05% max.	0.03%
	Arsenic (As)	≤ 1.6 ppm	≤ 1.6 ppm
	Calcium (Ca)	≤ 1 ppm	≤ 1 ppm
	Copper (Cu)	≤ 1 ppm	≤ 1 ppm
T M 1	Iron (Fe)	≤1 ppm	≤ 1 ppm
Trace Metals	Lead (Pb)	≤ 1 ppm	≤ 1 ppm
	Magnesium (Mg)	≤ 5 ppm	≤ 5 ppm
Manganese (Mn)		≤ 1 ppm	≤ 1 ppm
	Zinc (Zn)	≤ 1 ppm	≤ 1 ppm

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0007

<u>INTENDED USE:</u> Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

<u>RESIDUAL SOLVENTS:</u> Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.

Prepared by:	_ Date: _	4/8/25	_ Job Title:	RA Tech 1	
		, .			
Reviewed by:	_ Date: _	418/25	_ Job Title: _	QATECH !!!	

·			