DCN: 19-002973 v.5.0



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	20-Feb-2020	20-Feb-2023	: Date of Next Review
Prepared By:	Kyle Snyder	19-002973 v.4.0	: Supersedes
QA/QC Approval:	Hannah Bernier	Amy Yencho	: Management Approval
Reason for Revision:	See Revision History in ensur.		

## **CERTIFICATE OF ANALYSIS**

## **TRIS**

## BIO EXCIPIENT GRADE / TR3255-SAMPLE COA

LOT: TR3255-008-0320

NH<sub>2</sub>C(CH<sub>2</sub>OH)<sub>3</sub>  $\stackrel{\checkmark}{\sim}$  F.W. 121.14 g/mol.  $\stackrel{\checkmark}{\sim}$  CAS# 77-86-1

Manufacture Date: 12/15/2019 Retest Date: 12/31/2021

Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360
Packaging Date: Sample CoA Packaging Site: Sample CoA

Meets or Exceeds USP, EP and JPC Specifications

	USP Compendia	
Analysis	SPECIFICATION	TEST RESULT
Appearance and Color	White / Crystals	White / Crystals
Assay (Dried Basis)	99.0-101.0%	99.9%
Identification A	Passes Test	Passes Test
Identification B	Passes Test	Passes Test
Identification C	Passes Test	Passes Test
Loss on Drying	1.0% max.	0.3%
Melting Range	168-172°C	171 - 172 °C
pH (1 in 20)	10.0 - 11.5	10.3
Residue on Ignition	0.1% max.	<0.1%

	EP COMPENDIA	
ANALYSIS	SPECIFICATION	TEST RESULT
Appearance of Solution	Passes Test	Passes Test
Assay (Dried Basis)	99.0-100.5%	99.9%
Chloride (Cl)	≤ 100 ppm	≤100 ppm
Identification A	Passes Test	Passes Test
Identification B (Melting Range)	168-172°C	171 - 172 °C
Identification C	Passes Test	Passes Test
Identification D	Passes Test	Passes Test
Iron (Fe)	10 ppm max.	<10 ppm
Loss on Drying @105°C	0.5% max.	0.3%
pH (5%)	10.0-11.5	10.3
Related Substances	≤ 1.0%	<1.0%
Sulfated Ash	0.1% max.	<0.1%

DCN: 19-002973 v.5.0

			DCN: 19-002973 v.5.0	
		JPC ANALYSIS		
Analysis		SPECIFICATION	TEST RESULT	
Arsenic (As)		1.6 ppm max.	≤ 1.6ppm	
Assay (Dried Basis)		99.0-101.0%	99.9%	
Clarity and Color of S	Solution	Passes Test	Passes Test	
Heavy Metals		8 ppm max.	≤ 8ppm	
Identification A		Passes Test	Passes Test	
Identification B		Passes Test	Passes Test	
Loss on Drying		0.5% max.	0.3%	
Melting Point		168-172°C	171 - 172 °C	
pН		10.3 - 10.7	10.5	
Residue on Ignition		0.1% max.	<0.1%	
Analysi	S	SPECIFICATION	TEST RESULT	
	260nm	0.06 a.u. max	0.01 a.u.	
Absorbance (1M)	280nm	0.06 a.u. max	0.01 a.u.	
	430nm	0.01 a.u. max	<0.01 a.u.	
	260nm	0.03 a.u. max.	0.01 a.u.	
Absorbance (10%)	280nm	0.02 a.u. max.	0.01 a.u.	
	430nm	0.004 a.u. max.	0.002 a.u.	
Absorbance (40%)	290nm	0.2 a.u. max.	<0.2 a.u.	
APHA Color, 20% Se	olution	20 APHA max.	<20	
Assay (Dried Basis)		99.9% min	99.9%	
Endotoxins		$\leq$ 2.5 EU/g	<1.2 EU/g	
	DNase	None Detected	None Detected	
Enzymes	Protease	None Detected	None Detected	
	RNase	None Detected	None Detected	
Heavy Metals (As Pb	)	1 ppm max.	≤ 1 ppm	
Insoluble Matter		0.005% max.	<0.001%	
Karl Fischer Water		2.0% max.	0.2%	
Loss on Drying		0.3% max.	0.3%	
NC 1: 1 C	TAMC	$\leq 100 \text{ CFU/g}$	≤100 CFU/g	
Microbial Content	TYMC	$\leq 100 \text{ CFU/g}$	≤100 CFU/g	
Related Substances		0.1% max.	<0.1%	
Residue on Ignition		0.05% max.	<0.05%	
Arsenic (As)		1.6 ppm max.	≤ 1.6 ppm	
	Calcium (Ca)	5 ppm max.	≤ 5ppm	
	Copper (Cu)	5 ppm max.	≤ 5ppm	
	Iron (Fe)	1 ppm max.	≤ 1ppm	
	Lead (Pb)	1 ppm max.	≤ 1ppm	
Magnesium (Mg)		5 ppm max.	≤ 5ppm	

DCN: 19-002973 v.5.0

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: 16-000496

INTENDED USE: Material represented by this Certificate of Analysis is suitable to be used only as the following: ICH Q7 Compliant cGMP Manufactured Excipient for use in further Manufacturing. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

<u>RESIDUAL SOLVENTS:</u> Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.

Prepared by:	Date:	316/20	Job Title: <u>OA Supervisor</u>
			Job Title: OA Manager