

BIOSPECTRA

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	1-Dec-2025	1-Dec-2028	: Date of Next Review
Prepared By:	Carissa Albert	BSI-COA-0218 v.4.5	: Supersedes
QA/QC Approval:	Jaron Hughes	Hannah Kuchmas	: Management Approval
Reason for Revision:	See Revision History in MasterControl		

CERTIFICATE OF ANALYSIS

CYSTEAMINE HCl (2-MEA)

BIO EXCIPIENT GRADE / CSMH-3250

LOT: CSMH-N02-0126-0006

 $\text{C}_2\text{H}_7\text{N}_1\text{S}_1 \cdot \text{HCl}$ F.W. 113.61 g/mol. CAS# 156-57-0

Manufacturing Date: 01/11/26 Retest Date: 01/31/28

Manufacturing Site: 100 Majestic Way, Bangor PA, 18013

Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS	SPECIFICATION	TEST RESULT
Appearance and Color	White or colorless crystals or powder, may contain lumps	White or colorless crystals or powder, may contain lumps
Appearance of Solution	Colorless, clear solution	Colorless, clear solution
Argentometric Titration	30.6 - 31.8%	30.8%
Assay (HPLC Weight %)	98.0 – 102.0%	99.3%
Bioburden	≤ 100 CFU/g	< 50 CFU/g
Endotoxin	≤ 50 EU/g	< 33 EU/g
HPLC Minor Component 1 (Area %)	Cystamine $\leq 2.0\%$	$< 0.2\%$
Heavy Metals	≤ 20 mg/kg (ppm)	< 20 mg/kg (ppm)
Identification (IR)	Conforms to reference standard	Conforms to reference standard
Loss on Drying	$\leq 1.0\%$	0.1%
Trace Metal Analysis (ICP)	Aluminum (Al)	< 0.80 ppm
	Arsenic (As)	< 0.03 ppm
	Barium (Ba)	< 1.4 ppm
	Bismuth (Bi)	< 0.40 ppm
	Calcium (Ca)	< 1.5 ppm
	Cadmium (Cd)	< 0.004 ppm
	Cobalt (Co)	< 0.01 ppm
	Chromium (Cr)	< 0.10 ppm
	Copper (Cu)	< 0.05 ppm
	Iron (Fe)	< 0.40 ppm

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping, and the prevention of unauthorized appropriation, use, disclosure and copying.

ANALYSIS	SPECIFICATION	TEST RESULT
Mercury (Hg)	≤ 1 ppm	< 0.018ppm
Potassium (K)	≤ 50 ppm	< 4.0ppm
Lithium (Li)	≤ 5 ppm	< 0.50ppm
Magnesium (Mg)	≤ 5 ppm	< 0.40ppm
Manganese (Mn)	≤ 1 ppm	< 0.05ppm
Molybdenum (Mo)	≤ 5 ppm	< 0.10ppm
Trace Metal Analysis (ICP)	Sodium (Na)	< 4.0ppm
	Nickel (Ni)	0.08ppm
	Lead (Pb)	< 0.01ppm
	Antimony (Sb)	< 0.18ppm
	Selenium (Se)	< 0.10ppm
	Strontium (Sr)	< 0.40ppm
	Vanadium (V)	< 0.02ppm
	Zinc (Zn)	< 0.40ppm
Purity (HPLC Area %)	$\geq 98.0\%$	100.0%
	$\geq 92.0\%$	100.0%
Purity (Cysteamine (HPLC))	$\leq 8.0\%$ related substances	< 0.2%
	Ethanol	< 2390ppm
Residual Solvents	Isopropyl Alcohol (IPA)	< 2620ppm
	Tert-Butylmethyl Ether	< 2520ppm
Solubility	Clear and colorless	Clear and colorless

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0055

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

Prepared by: David McCall Date: 1/22/26 Job Title: QA Tech III

Reviewed by: Jan Bingham Date: 1/22/26 Job Title: QA Supervisor