



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	22-Jan-2025	22-Jan-2028	: Date of Next Review
Prepared By:	Hannah Kuchmas	BSI-COA-0126 v.4.1	: Supersedes
QA/QC Approval:	Taylor Yurick	Jessica DeMaio	: Management Approval
Reason for Revision:	See Revision History in MasterControl		

**CERTIFICATE OF ANALYSIS**  
**TRIS, USP/EP**  
**BIO EXCIPIENT GRADE / TRIS-3254**

LOT: TRIS-S01-1125-0217

 $\text{NH}_2\text{C}(\text{CH}_2\text{OH})_3$  ▲ F.W. 121.14 g/mol. ▲ CAS# 77-86-1

Manufacture Date: 11/08/25      Expiration Date: 11/30/28

Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360

Packaging Site: 100 Majestic Way, Bangor PA, 18013

Meets or Exceeds USP and EP Specifications

USP COMPENDIA		
ANALYSIS	SPECIFICATION	TEST RESULT
Appearance and Color	White/Crystals	White/Crystals
Assay	99.0 – 101.0%	99.8%
Endotoxin	≤ 2.5 EU/g	< 1.0 EU/g
Identification A	Passes Test	Passes Test
Identification B	Passes Test	Passes Test
Identification C	Passes Test	Passes Test
Loss on Drying	≤ 1.0%	0.1%
Melting Range	168-172°C	171-172°C
pH (1 in 20)	10.0 – 11.5	10.8
Residue on Ignition	≤ 0.1%	< 0.1%
Microbial Content	TAMC: ≤ 500 CFU/g TYMC: ≤ 200 CFU/g	< 10 CFU/g < 10 CFU/g

EP COMPENDIA		
ANALYSIS	SPECIFICATION	TEST RESULT
Appearance of Solution	Passes Test	Passes Test
Assay	99.0 – 100.5%	99.8%
Chloride (Cl)	≤ 100 ppm	< 100 ppm
Identification A	Passes Test	Passes Test
Identification B	168-174°C	171-172°C
Identification C	Passes Test	Passes Test
Iron (Fe)	< 10 ppm	< 0.30 ppm

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

EP COMPENDIA		
ANALYSIS	SPECIFICATION	TEST RESULT
Loss on Drying at 105°C	≤ 0.5%	0.1%
pH	10.0 – 11.5	10.8
Related Substances	≤ 1.0%	< 0.03%
Sulfated Ash	≤ 0.1%	< 0.1%

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0007

RESIDUAL SOLVENTS STATEMENT: Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

Prepared by: April McCall Date: 1/8/26 Job Title: QA Tech 111

Reviewed by: Jason Bryan Date: 1/9/26 Job Title: QA Supervisor