



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	04-Feb-2025	04-Feb-2028	: Date of Next Review
Prepared By:	Taylor Yurick	BSI-COA-0196 v.1.2	: Supersedes
QA/QC Approval:	Jessica DeMaio	Hannah Kuchmas	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS
URIDINE
BIO EXCIPIENT GRADE / URID-3250
LOT: URID-N02-0325-0007
 $C_9H_{12}N_2O_6$ * F.W. 244.20 g/mol * CAS# 58-96-8
 Manufacture Date: 1/13/25 Retest Date: 1/31/27
 Manufacturing Site: 100 Majestic Way, Bangor PA, 18013
 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS	SPECIFICATION	TEST RESULT
Appearance and Color	White to almost white powder	White to almost white powder
Assay (HPLC)	98.0 – 102.0%	99.9%
Bioburden	TAMC $\leq 100\text{CFU/g}$	$< 100\text{ CFU/g}$
	TYMC $\leq 100\text{CFU/g}$	$< 100\text{ CFU/g}$
Endotoxin	$\leq 0.5\text{ EU/mg}$	$< 0.5\text{ EU/mg}$
Heavy Metals	$\leq 10\text{ ppm}$	$< 10\text{ ppm}$
HPLC Purity	$\geq 99\%$	100.0%
Identification (IR)	Conforms to Spectrum of Reference Standard	Conforms to Spectrum of Reference Standard
Loss on Drying	$\leq 0.5\%$	$< 0.5\%$
Residue on Ignition	$\leq 0.1\%$	$< 0.1\%$
Transparency	$\geq 98.0\%$	99.6%
UV Assay	$\geq 98.0\%$	99.2%

COUNTRY OF ORIGIN: U.S.A.TEST METHOD REFERENCE: DCN: BSI-ATM-0086

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an Excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product, or Household Item.

Prepared by: Eugene Date: 3/24/25 Job Title: QA Tech 1

Reviewed by: Shirley McCall Date: 3/24/25 Job Title: QA Tech 111

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

