DCN: 19-002973 v.8.1



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	23-Mar-2021	23-Mar-2024	: Date of Next Review
Prepared By:	Jared L Lobb	19-002973 v.8.0	: Supersedes
QA/QC Approval:	Carissa McCollian	Wendy Santay	: Management Approval
Reason for Revision:	See Revision History in ensur.		•

CERTIFICATE OF ANALYSIS

TRIS

BIO EXCIPIENT GRADE / NEW CODE TRIS-3255-93

(HISTORICAL CODE TR3255-G500)

LOT: TRIS-0122-00074

Manufacturing Date: 2/11/22 Expiration Date: 2/28/25 Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360

Packaging Date: 3/21/22 Packaging Site: 100 Majestic Way, Bangor PA, 18013

Meets or Exceeds USP, EP and JPC Specifications

		USP COMPENDIA			
ANALYSIS		SPECIFICATION		TEST RESULT	
Assay (Dried Basis)		99.0-101.0%		100.3%	The second secon
Identification A		Passes Test		Passes Test	
Identification B		Passes Test		Passes Test	
Identification C		Passes Test		Passes Test	
Loss on Drying		1.0% max.		0.2%	
Melting Range		168-172°C		171 - 172 °C	
pH (1 in 20)		10.0 - 11.5		10.7	
Residue on Ignition	11 1	0.1% max.	, a	<0.1%	

	EP COMPENDIA	
ANALYSIS	SPECIFICATION	TEST RESULT
Appearance of Solution	Passes Test	Passes Test
Assay (Dried Basis)	99.0-100.5%	100.3%
Chloride (Cl)	≤ 100 ppm	<100 ppm
Identification A	Passes Test	Passes Test
Identification B (Melting Range)	168-172°C	171 - 172 °C
Identification C	Passes Test	Passes Test
Identification D	Passes Test	Passes Test
Iron (Fe)	10 ppm max.	<1 ppm
Loss on Drying @105°C	0.5% max.	0.2%
pH (5%)	10.0-11.5	10.7
Related Substances	≤ 1.0%	<0.1%

Analysis	SPECIFICATION	TEST RESULT
Sulfated Ash	0.1% max.	<0.1%

	JPC ANALYSIS	
Analysis	SPECIFICATION	TEST RESULT
Arsenic (As)	1.6 ppm max. 99.0-101.0%	≤ 1.6 ppm 100.3%
Assay (Dried Basis) Clarity and Color of Solution	Passes Test	Passes Test
Heavy Metals	8 ppm max.	≤ 8 ppm
Identification A	Passes Test	Passes Test
Identification B	Passes Test	Passes Test
Loss on Drying	0.5% max.	0.2%
Melting Point	168-172°C	171 - 172 °C
pH Residue on Ignition	10.3 – 10.7 0.1% max.	10.5 < 0.1%
Residue on ignition	0.170 max.	3.170

			ADDITIONAL ANALYSES		
Analysis			SPECIFICATION	TEST RESULT	
Appearance and Color		White,	crystalline powder to needle- like crystals	White, crystalline powder to need like crystals	le-
	260nm		0.06 a.u. max	0.01 a.u.	
Absorbance (1M)	280nm		0.06 a.u. max	<0.06 a.u.	
	430nm		0.01 a.u. max	<0.01 a.u.	
	260nm		0.03 a.u. max.	<0.03 a.u.	
Absorbance (10%)	280nm		0.02 a.u. max.	<0.02 a.u.	
	430nm		0.004 a.u. max.	<0.004 a.u.	
Absorbance (40%)	290nm		0.2 a.u. max.	<0.2 a.u.	
APHA Color, 20% Solu	tion		20 APHA max.	<20 APHA	
Assay (Ultrapure, Dried Basis)			99.9% min	100.5%	
Endotoxins			≤ 2.5 EU/g	<1.0 EU/g	
	DNase		None	None	
Enzymes	Protease		None	None	
	RNase		None	None	
Heavy Metals (As Pb)			1 ppm max.	$\leq 1 \text{ ppm}$	
Insoluble Matter			0.005% max.	<0.005%	
Karl Fischer Water			1.0% max.	0.1%	
Loss on Drying			0.3% max.	0.2%	
	TAMC		≤ 100 CFU/g	<100 CFU/g	
Microbial Content	TYMC		≤ 100 CFU/g	<100 CFU/g	
Related Substances			0.1% max.	<0.1%	

DCN: 19-002973 v.8.1

			DC11. 19-0029/3 V.0.1
ANALYSIS Residue on Ignition		SPECIFICATION	TEST RESULT
		0.05% max.	0.03%
	Arsenic (As)	\leq 1.6 ppm	≤ 1.6 ppm
	Calcium (Ca)	≤1 ppm	≤1 ppm
	Copper (Cu)	≤1 ppm	≤ 1 ppm
Trace Metals	Iron (Fe)	≤1 ppm	≤ 1 ppm
	Lead (Pb)	≤1 ppm	≤ 1 ppm
	Magnesium (Mg)	≤5 ppm	≤ 5 ppm
	Manganese (Mn)	≤1 ppm	≤ 1 ppm
	Zinc (Zn)	≤1 ppm	≤ 1 ppm

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: 16-000496

<u>INTENDED USE:</u> Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

<u>RESIDUAL SOLVENTS:</u> Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.